

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A hybrid solar energy distribution system comprising:
 - at least one fiber receiver for receiving visible light further comprising;
 - a receiver housing,
 - a mixing rod removably disposed in said receiver housing,
 - a fiber at least partially disposed in said housing and engaged with said mixing rod,
 - said fiber further transmitting visible light to a light distribution system further comprising;
 - at least one fiber distribution panel;
 - at least one hybrid luminaire; and
 - a means for controlling at least one of said hybrid luminaire and said light distribution system.
2. (canceled) The hybrid solar energy distribution system of Claim 1 wherein said light distribution system further comprises a fiber distribution panel.
3. (original) The hybrid solar energy distribution system of Claim 1 wherein said hybrid luminaire comprises at least one of the lighting types selected from the group consisting of direct, indirect, cove, spot, compact fluorescent, track, recessed down-lighting, LED, sunlight, and perimeter point source lighting.
4. (original) The hybrid solar energy distribution system of Claim 1 wherein said fiber further comprises a thermally compressed fiber bundle.

5. (currently amended) A hybrid collector comprising;

- a primary mirror for producing reflected full spectrum solar radiation,
- a secondary mirror supported in position for receiving said reflected full spectrum solar radiation and further filtering said full spectrum solar radiation into visible light that is reflected onto a fiber receiver, said fiber receiver further comprising;
 - a receiver housing,
 - a mixing rod removably disposed in said receiver housing,
 - a fiber at least partially disposed in said housing and engaged with said mixing rod, said fiber further transmitting visible light to a light distribution system further comprising;
 - at least one fiber distribution panel;
 - at least one hybrid luminaire; and
 - a means for controlling at least one of said hybrid luminaire and said light distribution system.

6. (original) The hybrid collector of Claim 5 wherein said secondary mirror is supported by a secondary mount further comprising;

- a non-rigid structure that blocks less than 5% of said reflected full spectrum solar radiation and maintains predetermined optical distances.

7. (canceled) The hybrid collector of Claim 5 wherein said light distribution system further comprises a fiber distribution panel.

8. (original) The hybrid collector of Claim 5 wherein said fiber further comprises a thermally compressed fiber bundle.

9. (original) The hybrid collector of Claim 5 wherein multiple collectors are positioned in a mirror farm array connected to a single sun tracking system.

10. (original) The hybrid collector of Claim 5 wherein said primary mirror is segmented into multiple sections.

11. (original) The hybrid collector of Claim 5 wherein said secondary mirror is segmented into multiple sections.

12. (original) The hybrid collector of Claim 5 wherein said primary mirror and secondary mirror are segmented into multiple sections.